

# **Interim Report to the Master Project WS 2019/20 | Zwischenbericht zum Masterprojekt WS 2019/20**

## **Introduction / Summary**

### **Motivation**

A large number of companies are renewing their customer service in order to quickly bring their range of offers to potential buyers. Digitalization is a useful tool for bringing information to interested parties. The chatbot plays an important role here. Chatbots are dialogue systems that communicate via voice or text messages. Chatbots are used in various areas and present a variety of offers to inform users. There are also other categories, such as chatbots, which provide specific information about the weather. The Beuth University of Applied Sciences in Berlin offers its students, employees, scientific staff and teachers various services. The focus is on important questions such as when the opening hours of Beuth University are. For students, the opening hours of the library, the study administration, the dean's offices, the study and recreation rooms are also important. For these reasons Professor Thomas Ziemer proposes to develop a chatbot for the university.

### **Target group**

The chatbot is aimed primarily at students, teachers and visitors to Beuth University. It helps the above mentioned groups to quickly get information about the learning rooms, Mensaplan and other services of the university. The chatbot also provides information about the weather.

### **Scope**

Beuth University has an interest in offering a service that leads through the university. This service is intended to help new students find their way around Beuth University. This includes, among other things, that students have knowledge of exam dates and the teaching staff's consultation hours in order to better organize their studies. The chatbot also answers questions about the Mensaplan. The Mensa's offer is varied, e.g. the Chatbot answers to inquiries, when there is vegetarian or vegan food. It has other functions as well: So it can answer questions about the next week's menu and can consider hints from users, such as the request of a vegetarian.

# Software Architecture

## Table of content

1. [Table of content](#)
2. [Overview](#)
3. [Basic Structure](#)
  - a. [Bot](#)
  - b. [Gateway](#)
  - c. [Registry](#)
  - d. [Service](#)
4. [API](#)

## Overview


*BeuthBot* consists of many interwoven *Microservices*. Every *Microservice* uses our basic API to communicate with other *Microservices*. This approach enables us to change parts of the system easily at any time or to introduce new *Microservices*, all they need to do is to implement our API.

## Basic Structure

Our application is basically composed of the following four components.


Bot  $\Leftrightarrow$  Gateway  $\Leftrightarrow$  Registry  $\Leftrightarrow$  Service

Following diagram shows that in more detail:



A user can write the *Bot* to request informations, the meaning of the message is extracted and a fitting *Microservice* is chosen to retrieve the necessary data. A response is build from that data and distributed back up to the bot which answers the users request.

Following sequence diagram further illustrates that:



## Bot

This is an abstraction for the available chatbots, e.g. a *Bot* for *Telegram* and another *Bot* for *WhatsApp*.

The user interacts with this *Microservice*, here she can request information and gets answers from *BeuthBot*.

## Gateway

The *Gateway* is the centerpiece of *BeuthBot* one could say.

The *Bot* notifies the *Gateway* with the message it got from the user.

The *Gateway* then uses NLP (Natural Language Processing) *Microservices* to get the meaning and intention of the user. Here we try to extract what the user wants from *BeuthBot*, to notify the right service and present a fitting answer to our user.

## Registry

After obtaining the intention of our user, the *Gateway* notifies the *Registry*, to get the information the user requested.

The *Registry* distributes the request to the correct *Service*, that takes care of retrieving the right informations.

## Service


*Service* is an abstraction for the implemented *Microservices* that retrieve the necessary data we need to answer users requests. E.g. the *MensaService* is a *Microservice* that can give informations about the current menu, filtered by a number of parameters, e.g. a vegan user.

## API

Because of the complexity of the single *Microservices*, every single *Microservice* implements its own, distinct, API.

But to answer a users request we use a unified, comprehensive API. Its basic idea is to pass a *Response-Object* trough the individual *Microservices*, which consists of the initial request, an answer as a response to the users request and informations about the user.

Following class diagram further illustrates that:



# Requirement Analysis BeuthBot

## Functional requirements

- /F100/ The system must allow the user to enter requests by text or language
- /F101/ The system should be able to learn from errors from incoming messages
- /F102/ The system must understand user input
- /F103/ The system must be able to respond contextually to user input
- /F104/ The system must persist messages in a database anonymously
- /F105/ The system must be able to persist and retrieve specified preferences for users
- /F200/ The system must be able to retrieve the Beuth Mensa menu for a specific day from the [OpenMensa API](#)
- /F201/ The system must be able to forward the menu from the OpenMensa API
- /F202/ The system must be able to filter and probe the menu according to the user's specifications
- /F203/ The system must be able to cache the food plan
  
- /F300/ The system must be able to access the learning rooms of Beuth University of Applied Sciences Berlin
- /F301/ The system must be able to forward where the learning rooms are located.
  
- /F400/ System must be able to remind user of appointments
- /F401/ The system must have access to the user's appointment calendar
  
- /F500/ The system must be able to call up the opening hours of the Beuth University buildings.
- /F501/ The system must be able to cache opening hours
  
- /F600/ The system must be able to retrieve the current weather for Berlin via a [Weather API](#)
- /F601/ The system must be able to forward the current weather
- /F602/ The system must be able to cache the current weather
  
- /F700/ The system must be able to call up the examination dates for exams at the Beuth University for Applied Sciences
- /F701/ The system must be able to forward the test dates
- /F702/ The system must be able to filter and probe the examination dates according to user specifications
- /F703/ The system must be able to cache the test dates
  
- /F800/ The system must be able to call up the winding rooms at the Beuth University for Applied Sciences.
- /F801/ The system must be able to forward where the winding rooms are located.
- /F802/ The system must be able to cache the winding rooms

## Non-functional requirements

- /NF100/ The system must respond to a message within 3 seconds
- /NF101/ The system must retrieve data from the microservices within a few milliseconds
- /NF102/ The system must be able to process and evaluate a message within 1.5 seconds
- /NF103/ The system must have enough memory for persistence of data from ~13k students

/NF200/ Service downtime (NLP component, microservices, gateway) should be less than 1%  
/NF201/ ref. /NF100/  
/NF202/ ref. /NF101/  
/NF203/ ref. /NF102/  
/NF204/ Database downtime should be less than 1%

/NF300/ The system should be as modular as possible  
/NF301/ The system should be easily scalable  
/NF302/ The system should contain easily replaceable components  
/NF303/ The system should store understandable error messages

/NF400/ The system should be easily portable to other systems

/NF500/ The system should comply with DSGVO guidelines  
/NF501/ The system should be based on security standards  
/NF502/ Databases should be protected from unwanted access  
/NF503/ The databases should be password protected  
/NF504/ The databases should be based on security standards

/NF600/ The system should restart the service independently in the event of a service failure

/NF700/ The system should be well documented  
/NF701/ The system should be easy to understand

## Use cases

In the following we present three usecases in detail, which exemplarily describe our functional requirements.

### Use case /F103/

**Title:** Responding to user input

**Short description:** User sends a message to the chatbot via text or speech and the bot replies to it.

**Actor:** User

**Preconditions:** The chatbot, NLP component, gateway, registry and microservices are running

**Basic flow:** The user writes a message to the bot via telegram. This message is processed and evaluated by the NLP component, then the message, including the evaluation of the NLP component, is persisted in the database and forwarded to a corresponding microservice, which then generates a response and sends it back.

**Effects:** The user gets a reply from the chatbot, which refers to his message.

**Use case /F200/**

**Title:** User asks for today's menu of the mensa

**Short description:** User sends a request to the chatbot that he would like to know what there is to eat in the mensa today.

**Actor:** User

**Preconditions:** The chatbot, the NLP component, the Mensa micro service, the gateway and the registry are running.

**Basic flow:** The user writes a message to the bot via telegram. The NLP component recognizes that the user wants to have today's menu of the mensa. The evaluated message is forwarded to the mensa microservice. The microservice reads out what is required and asks the OpenMensa API for the mensaplan for the Beuth University of Applied Sciences. An answer is generated from the object which the microservice receives from the API and sent back to the user.

**Effects:** The user gets an answer from the chatbot containing today's menu of the mensa.

**Use case /F300/**

**Title:** Output learning spaces

**Short description:** The user wants to know which learning rooms there are and where they are, the chatbot gives him the information.

**Actor:** User

**Preconditions:** The chatbot, NLP component, gateway, registry, and learning room service are running.

**Basic flow:** User writes to the chatbot that he wants to know which learning rooms there are. The system processes the message and forwards it to the learning room microservice. If the learning rooms have not yet been cached, the service uses web scraping to search for the required information on the corresponding website, generates a response from it and sends it to the user.

**Effects:** The user receives an answer from the chatbot containing the required information.

# Bot Documentation

[Telegram](#) Bot build for the *BeuthBot*-Project, with easy extensibility and customization in mind.

Bla bla

## Table of content

- a. [Bot Documentation](#)
- b. [Table Of Content](#)
- c. [Getting Started](#)
  - I. [Prerequisites](#)
  - II. [Installing](#)
- 4. [Overview](#)
- 5. [Structure](#)
- 6. [Functionalities](#)
  - I. [User Requests](#)
  - II. [Commands](#)
  - III. [Functions](#)
  - IV. [BotFather](#)
- 7. [Further Development](#)
- 8. [Further Reading](#)
- 9. [Prerequisites](#)
- 10. [Versioning](#)
- 11. [Authors](#)

## Getting Started

These instructions will get you a copy of the project up and running on your local machine for development and testing purposes.

### Prerequisites

You will need a current version of [node & npm](#).

### Installing

After cloning the repository, install the dependencies. You can then run the project.

```
# install dependencies  
> npm install
```

```
# serve at localhost:8000  
> npm start
```



## Overview

The bot is basically a *Node-Express-Backend*. Incoming requests are checked and specifically handled.

## Structure

The bot is separated into two files. `index.js` contains the fundamental logic. The bot gets created with its token and waits for incoming events. For example an incoming message. The bot then calls a handler function.

These handlers can be found in the second file, `commands.js`. This file contains the available commands as an Object. Furthermore it contains functions to determine if a message contains a command and to answer the several requests a user can make.

## Functionalities

### User Requests

The bot supports three different kinds of user requests:

- **Message:** A user sends a message to the bot. We then check if the message contains a command. Commands are declared with a prefixed '/' in *Telegram*.
- **Callback Queries:** The bot can answer with a question, providing the user a simple interface, using a button matrix. When the user clicks on one of these buttons we get a *callback query*.
- **Inline Queries:** Users can call our bot from within another chat by prefixing the botname with an '@'. The user can then send a text to the bot, which results in an inline query. The result that the bot gives back is inserted in the chat, where the user called the bot from.

### Commands

The `commands.js`-file contains a `commands`-object. Every entry of this object is a supported command. The key is always the command string, prefixed with '/', eg: `/help`. The value for these keys is an object containing a description, an options object and the reference to the function that renders the answer for the specific command.

```
const commands = {
  '/help': {
    answer: renderHelpString,
    description: 'Get a helpful list of all available commands and functionalities',
    options: {
```

```

        parse_mode: 'Markdown'
    },
    '/date': {
        answer: (message => 'What date format do you prefer?'),
        description: 'Get the current timestamp in a chooseable
format',
        options: {
            parse_mode: 'Markdown',
            reply_markup: {
                // this initiates a callback query
                // by giving the user two buttons to answer with
                inline_keyboard: [
                    [
                        {
                            text: 'Zulu',
                            callback_data: JSON.stringify({
                                command: 'date',
                                payload: 'zulu'
                            })
                        },
                        {
                            text: 'German',
                            callback_data: JSON.stringify({
                                command: 'date',
                                payload: 'german'
                            })
                        }
                    ]
                ]
            }
        }
    }
}

```

## Functions

The 'commands.js'-file provides several functions. Eg. functions to check if a message contains an command and to find out if the requested command is in the 'commands'-object, which means it is an supported command.

Further are functions provided to handle Messages (containing normal *Commands*), *Callback Queries* and *Inline Queries*.

The bot has the following functionalities, that a user can request and use:

- getTimestamp: Get the timestamp of the moment the message containing this command was send.
- getFormattedTimestamp: Renders the timestamp in Zulu or German format, this is a function used to answer a *Callback Query*.

- `renderHelpString`: Iterates over the `commands`-object and prints all available commands and there description.
- `supportedMarkdown`: This function gives the User a list of supported [Markdown](#) markup by Telegram.

## BotFather

The [BotFather](#) allows so configure our bot. You can just write the *BotFather* with Telegram and the bot will guide you through everything. The *BotFather* enables you among others to change the profile picture, description and about text of your bot.

Further you can register the commands and inline queries your bot supports. This allows a cleaner user experience since the bot will then suggest commands and inline queries while the user types. So absolutely do register them!

The neccessary commands are:

- `/setcommands` - `/setinline`

## Further Development

New commands can simply added to the `'commands'`-object but have to follow the presented structure under [commands](#).

## Further Reading

- [Telegram Bot API](#)

## Built With

- [Node.js](#)
- [Express.js](#)
- [Node-Telegram-Bot-API](#)

## Versioning

We use [SemVer](#) for versioning. For the versions available, see the [tags on this repository](#).

## Authors

- **Tobias Klatt** - *Initial work* - [GitHub](#)

See also the list of [contributors](#) who participated in this project.

# Gateway

The **gateway** itself is the core microservice of our application. It represents the top (first) layer in our system architecture and has a direct bidirectional interface to [Telegram](#). The main functionality of the gateway is to receive and handle all incoming user requests. Once a user is interacting with our bot - doesn't matter whether the user communicates via text or voice message - all requests are going to be passed on to the gateway.

## Table Of Content

- I. [Gateway](#)
- II. [Table Of Content](#)
- III. [Getting Started](#)
  - A. [Prerequisites](#)
  - B. [Setup](#)
  - C. [References](#)
- 4. [Overview](#)
- 5. [Structure](#)
- 6. [Functionalities](#)
  - A. [Variables](#)
  - B. [API-Call](#)
  - C. [Microsoft Azure - Cognitive Services - Headers](#)
  - D. [Server](#)
- 7. [Further Development](#)
- 8. [Further Reading](#)
- 9. [Built With](#)
- 10. [Versioning](#)
- 11. [Authors](#)

## Getting Started

The following sections will give an overview how the gateway was created. It is strongly recommended to read [Telegrams bot introduction for developers](#) to get a better insight what we are talking about in this context.

Every time a [Telegram](#) bot receives a message, the bot forwards this message in form of an API call to a corresponding server that handles all incoming messages. Once this is done, the server processes the request and a response will be generated that will go back to the user. In general there are two ways to get notified about incoming messages:

1. *Long polling*
2. *Webhooks*

Within this project we are going to use webhooks.

## Prerequisites

Since the gateway is built from scratch there are no specific requirements or dependencies.

[*Appendum:* We decided to establish the server using [node.js](#). That's why an installation of node and npm is necessary.]

## Telegram Bot

As mentioned [here](#) our gateway is directly connected to the bot. Therefore the creation of a Telegram bot is necessary before it comes to the actual implementation. For test purposes an onw [Telegram](#) has been created as part of preparing the gateway implementation. It is reachable via cbeuthbot on [Telegram](#). The created bot does not have any kind dependencies to the productive BeuthBot and is completely autonomous. This means that the system architecture is intended to be as flexible as possible to enable a simple addition or removal of different types of bots.

## Set Up

Once a [Telegram](#) bot has been created and configured, we started to initialize a local project in a first step. Therefore a project directory has been set up as well as a `> npm init` has been executed in this directory. After this step a `package.json` has been created automatically. On top of that, `express`, `axios` and `body-parser` have been installed via `> npm install`. In this context `express` is our application server, `axios` is an HTTP client and `body-parser` helps to parse the response body received from each request. As soon as these components have been successfully installed we created our actual **gateway** - first simply named `index.js`.

The content of this file was looking very rudimentary in the beginning. It simply represents a 'Ping-Pong' service at this point. This means, if a user writes a message that includes e.g. the word 'ping' our gateway creates a response with the word 'pong'. The answer will be sent back to the user by using the chat-id. Additionally we established 3000 as our port for communicating.

At this point we were able to run our server locally by typing in `> node index.js`. But a local server implies that the bot cannot call an API. It is desperate need of a public domain name. This means we have to deploy our application with [ZEIT](#).

Once this is done we have to let telegram know that our bot has to talk to this url whenever it receives any message in a last step. This get managed through cURL.

## References

During the implementation of the **gateway** we used [this manual](#) as a kind of orientation.


## 2. Overview

The **gateway** we built is able to receive incoming messages from our bot and also standardizes (since there is no guarantee for uniform requests, all incoming messages are getting standardized in a very first step) all requests. Once this is done, the **gateway** calls one or more of our NLU interfaces to evaluate the message text. This is done via HTTP-POST and json. The evaluation of our message (score determining) can be done separately or together with the text analysis. E.g. when using Microsoft Azure Cognitive Services we transfer our messages with all relevant parameters and as a result out HTTP-POST delivers the score, entities, key words etc. in form of a json object. With this result we continue to call the API of our „next“ microservice (in this case the registry) and pass on all relevant values.

## Structure

To give a better overview of how the gateway is built up, the following class diagram has been created:

**Gateway - Class Diagram**



This class diagram shows the structure around the gateway. Here it is important that there is a **StandardizationLayer** beforehand, which standardizes the incoming messages. The gateway then directs the message to an NLU service where we get the evaluated object back and compare the scores. The best evaluated message is then forwarded to the registry.

## Functionalities

### Variables

The defined variables are based on express, body-parser and axios:

```
var express = require('express')
var app = express()
var bodyParser = require('body-parser')
const axios = require('axios')
```

### API-Call

Each time our bot is mesaged in the chat, the message will be passed on to the gateway. This is mapped via cURL. All incoming messages use the route \message-in. If the message has no content, the response is empty. The code for the described behaviour looks as follows:

```
app.post('/message-in', function(req, res) { // This is the
route the API will call
  const { message } = req.body
  if (!message || message.text.length < 1) { // In case
a message is not present, or if our message is empty, do
nothing and return an empty response
    return res.end()
  }
```

### Microsoft Azure - Cognitive Services - Headers

Microsot Azure predetermines its specific header that should be used for HTTP-POST. The header looks like this:

```
const options = {
  headers: {
    'Host': 'northeurope.api.cognitive.microsoft.com',
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key':
    '*****'
  }
}
```

### HTTP-POST

This section of code shows a request to the Azure service and generates a response which is sent directly to the bot. The code is shaded like this because Axios



processes the messages asynchronous and we have to ensure a response has already been received. The following code snippet shows this more in detail:

```

axios.post('https://northeurope.api.cognitive.microsoft.com/text/analytics/v2.1/sentiment', {
  "documents": [{
    "language": "en",
    "id": message.chat.id,
    "text": message.text
  }]
}, options).then(function (response) {
  message_out = "[" + message.chat.id + "]: " + "Hi, your score is " + response.data.documents[0].score + "."
  axios.post('https://api.telegram.org/bot:<token>/sendMessage', {
    chat_id: message.chat.id,
    text: message_out
  }).then(response => {
    // We get here if the message was successfully
    posted
    console.log('Message posted')
    res.end('ok')
  })
})
})

```

## Server

The server is listening on port 3000:

```

// Finally, start our server
app.listen(3000, function() {
  console.log('Telegram app listening on port 3000!')
})

```

## Further Development

In the short term, we are considering replacing Azure with Rasa to test the modular requirements. It is later considered that we will connect an NLU adapter that compares the two services and takes the best results.

## Further Reading

To get a deeper insight into the technical components of our gateway, we recommend to follow up with some of the topics that are mentioned [here](#) or [here](#).

## Built With

- [Telegram Bot API](#)
- [Node.js](#)
- [Express.js](#)
- [Axios](#)
- [Body-Parser](#)
- [ZEIT](#)
- [cURL](#)
- [Microsoft Azure](#)

## Versioning

We use [GitHub](#) for versioning.

## Authors

- **Christopher Lehmann** - *Development & Documentation* [GitHub](#)
- **Timo Bruns** - *Development* [GitHub](#) \\\

See also the list of [contributors](#) who participated in this project.

Nutzungshinweis: Auf dieses vorliegende Schulungs- oder Beratungsdokument (ggf.) erlangt der Mandant vertragsgemäß ein nicht ausschließliches, dauerhaftes, unbeschränktes, unwiderrufliches und nicht übertragbares Nutzungsrecht. Eine hierüber hinausgehende, nicht zuvor durch *datenschutz-maximum* bewilligte Nutzung ist verboten und wird urheberrechtlich verfolgt.