

Registry

The **registry** is part of the BeuthBot microservice system. Here the evaluated messages arrive and it is decided which service should be used. The reply from the service is forwarded to the gateway.

Table Of Content

- [Registry](#) - [Table Of Content](#) - [Getting Started](#) - [Overview](#) - [Structure](#) - [Functionalities](#) - [Further Development](#) - [Further Reading](#) - [Built With](#) - [Versioning](#) - [Authors](#)

Getting Started

Prerequisites

Set Up

References

Overview

Structure

Functionalities

Variables

Server

Further Development

Further Reading

Built With

- [Node.js](#)
- [Express.js](#)
- [Axios](#)
- [Body-Parser](#)

Versioning

We use [GitHub](#) for versioning.

Authors

Timo Bruns - *Initial work* - [GitHub](#)

Christopher Lehmann - *Initial work* - [GitHub](#)

See also the list of [contributors](#) who participated in this project.

Nutzungshinweis: Auf dieses vorliegende Schulungs- oder Beratungsdokument (ggf.) erlangt der Mandant vertragsgemäß ein nicht ausschließliches, dauerhaftes, unbeschränktes, unwiderrufliches und nicht übertragbares Nutzungsrecht. Eine hierüber hinausgehende, nicht zuvor durch *datenschutz-maximum* bewilligte Nutzung ist verboten und wird urheberrechtlich verfolgt.